

LISA RICHARDSON

# S C A L L O P S W E A T E R

ROWEX-00016-ENP





# S C A L L O P S W E A T E R







#### **SIZE**

To fit bust (cm/in)

71-76 81-86 91-97 102-107 112-117 122-127 132-137 142-147 152-157 28-30 32-34 36-38 40-42 44-46 60-62 48-50 52-54 56-58 Actual bust measurement of garment (cm/in) 144 153.5 163 172.5 182 191 204 213 225.5 563/4 601/2 641/4 68 713/4 751/4 801/4 833/4 883/4

#### **YARN**

# Felted Tweed Colour (50gm)

7 8 9 10 10 11 12 12 13 (photographed in Chestnut 024)

#### **NEEDLES**

1 pair 31/4mm (no 10) (US 3) needles

1 pair 3\%mm (no 9) (US 5) needles

31/4mm (no 10) (US 3) circular needle no more than 50 cm long

#### **TENSION**

24 sts and 32 rows to 10 cm measured over st st using 3\%mm (US 5) needles

#### BACK

Using 3½mm (US 3) needles cast on 184 [196: 208: 220: 232: 244: 260: 272: 288] srs

**Row 1 (RS):** K3, \*P2, K2, rep from \* to last st, K1.

**Row 2:** K1, P2, \*K2, P2, rep from \* to last st, K1.

Rep last 2 rows once more.

Change to 3\(^4\text{mm}\) (US 5) needles.

Now work in patt as folls:

Place marker between centre 2 sts of last row – there should be 92 [98: 104: 110: 116: 122: 130: 136: 144] sts either side of marker.

**Row 1 (RS):** K to within 1 st of marker, P2 (marker is between these 2 sts), K to end.

Row 2: K1, P to last st, K1

**Row 3:** K1, K2tog, K to within 3 sts of marker, yfwd, K2, P2 (marker is between these 2 sts), K2, yfwd, K to last 3 sts, sl 1, K1, psso, K1.

**Row 4:** As row 2.

Rows 5 and 6: As rows 1 and 2.

These 6 rows form patt.

Cont in patt for a further 30 rows, ending with RS facing for next row. Place markers at both ends of last row (to denote top of side seam openings).

Working in patt as set but now working first and last st of every **WS** row as a P st (so edge sts are now in st st), cont as folls:

Cont straight until back meas approx 55.5 [57.5: 59.5: 61.5: 63.5: 65.5: 66.5: 68.5: 69.5] cm **measuring along centre line**, ending after patt row 4 and with RS facing for next row.

# Shape back neck

**Next row (RS):** K76 [81: 87: 91: 97: 102: 110: 116: 124] and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 3 rows, ending with RS facing for next row. 73 [78: 84: 88: 94: 99: 107: 113: 121] sts.

Break yarn and leave sts on a holder (for right shoulder seam). With RS facing, slip centre 32 [34: 34: 38: 38: 40: 40: 40: 40] sts onto a

holder (for neckband), rejoin yarn and K to end.

Complete to match first side, reversing shapings.

### FRONT

Work as given for back until 64 [64: 64: 70: 70: 70: 70: 70: 70: 76] rows less have been worked than on back to beg of back neck shaping, ending after patt row 6 and with RS facing for next row.

# Divide for front neck

**Next row (RS):** K92 [98: 104: 110: 116: 122: 130: 136: 144] and turn, leaving rem sts on a holder.

Work each side of neck separately.

Still working decreases at side seam edge as set (and noting that decreases at side seam edges often replace decreases at neck edge to keep patt correct), now shape neck as folls:

Work 6 rows, dec 1 st at side seam edge of 2nd row **and at same time** dec 1 st at neck edge of 4th and 6th of these rows. (3 sts decreased.)

Rep last 6 rows 3 [3: 3: 4: 4: 4: 4: 4: 4] times.

80 [86: 92: 95: 101: 107: 115: 121: 129] sts.

Work 1 row, ending with RS facing for next row.

# Sizes 81-86 cm, 91-97 cm, 122-127 cm, 132-137 cm and 142-147 cm only

Work 6 rows, dec 1 st at side seam edge of next row and neck edge of 3rd of these rows. - [84: 90: -: -: 105: 113: 119: -] sts.

#### All sizes

Dec 1 st at side seam edge of next and 6 [5: 5: 6: 6: 5: 5: 5: 7] foll 6th rows. 73 [78: 84: 88: 94: 99: 107: 113: 121] sts.

Work 5 rows, ending with RS facing for next row.

# Shape shoulder

Break yarn and leave sts on a holder (for left shoulder seam).

With RS facing, rejoin yarn at centre front and K to end.

Complete to match first side, reversing shapings.

### **SLEEVES**

Using 3¼mm (US 3) needles cast on 46 [46: 50: 50: 50: 54: 54: 58: 58] sts.

**Row 1 (RS):** K2, \*P2, K2, rep from \* to end.

**Row 2:** P2, \*K2, P2, rep from \* to end.

These 2 rows form rib.

Cont in rib for a further 8 rows, inc 0 [1: 0: 1: 1: 1: 1: 0: 0] sts, at each end of last row and ending with RS facing for next row. 46 [48: 50: 52: 52: 56: 56: 58: 58] sts.

Change to 3\mathcal{4}mm (US 5) needles.

Beg with a K row, now working in st st throughout, shape sides by inc 1 st at each end of 5th [5th: 3rd: 3rd: 3rd: 3rd: 3rd: 3rd: next] and foll 0 [0: 4: 7: 15: 19: 23: 25: 29] alt rows, then on 11 [12: 11: 10: 6: 4: 2: 1: 0] foll 4th rows. 70 [74: 82: 88: 96: 104: 108: 112: 118] sts

Work 5 [5: 3: 3: 3: 3: 3: 3] rows, ending with RS facing for next row. (Sleeve should meas approx 20 [21: 21: 22: 22: 22: 22: 22: 22] cm.) Cast off **loosely**.

# MAKING UP

Press as described on the ball band.

www.knitrowan.com | Please review our full terms of use of this pattern on our website

Join shoulder seams by grafting together both sets of shoulder sts left on holders.

Neckband

With RS facing, using 3¼mm (US 3) circular needle, pick up and knit 53 [53: 53: 57: 57: 57: 57: 57: 57: 61] sts down left side of front neck, place a marker on needle, pick up and knit 53 [53: 53: 57: 57: 57: 57: 57: 61] sts up right side of front neck, and 3 sts down right side of back neck, K across 32 [34: 34: 38: 38: 40: 40: 40: 40] sts on back holder inc 0 [2: 2: 2: 2: 0: 0: 0: 0] sts evenly, then pick up and knit 3 sts up left side of back neck. 144 [148: 148: 160: 160: 160: 160: 160: 168] sts.

**Round 1 (RS):** ★K2, P2, rep from ★ to end.

This round forms rib.

**Round 2:** Rib to within 2 sts of marker, K2tog, slip marker onto right needle, sl 1, K1, psso, rib to end.

Rep last round twice more. 138 [142: 142: 154: 154: 154: 154: 154: 162] sts. Cast off in rib, still decreasing at centre front as before.

Mark points along side seam edges 15 [16: 17.5: 19: 20.5: 22: 23: 24: 25] cm either side of shoulder seams (to denote base of armhole openings).

See information page for finishing instructions, setting in sleeves using the straight cast-off method and leaving side seams open below markers.

